Contents

No. 1/2 – 1–222 issued 27 August 1996
No. 3 – 223–352 issued 13 September 1996
No. 4 – 353–496 issued 25 September 1996
No. 5 – 497–630 issued 16 October 1996
No. 6 – 631–766 issued 28 October 1996

Abbo S → Yang T
Akama K → Kumar R
Akihama T → Komatsu A
Alves PC → Silva MV da
Amrani N, Dufour M-E, Bonneaud N, Lacroute F: Mutations in *STS1* suppress the defect in 3′ mRNA processing caused by the *rna15-2* mutation in *Saccharomyces cerevisiae* 552
Andersen AH → Jensen S
Anraku Y → Ohya Y
Apt KE, Kroth-Pancic PG, Grossman AR: Stable nuclear transformation of the diatom *Phaeodactylum tricornutum* 572
Aramayo R → Peleg Y
Astier C → Ouchane S
Audeon C → Grappin P

Bahl H → Matuschek M
Baldwin TO → Sitnikov DM
Barbato C, Calissano M, Pickford A, Romano N, Sandmann G, Macino G: Mild RIP – an alternative method for in vivo mutagenesis of the *albino-3* gene in *Neurospora crassa* 353
Bathe B, Kalinowski J, Pühler A: A physical and genetic map of the *Corynebacterium glutamicum* ATCC 13032 chromosome 255
Baumberg S → Savchenko A
Beach D → Casso D
Bécam A-M → Li G-Y
Beier D, Deppisch H, Gross R: Conserved sequence motifs in the unorthodox BvgS two-component sensor protein of *Bordetella pertussis* 169
Benner JII → Ruan H
Bennoun P → Hahn D
Berg P → Elias-Arnanz M
Bernacchi D → Rossi M
Bignetti E → Donofrio G
Binder S → Giese A
Bolle C → Kusnetsov V
Bonnard G → Handa H
Bonneaud N → Amrani N
Bottin A → Spellig T
Brandstädter J, Roßbach C, Theres K: Expression of genes for a defensin and a proteinase inhibitor in specific areas of the shoot apex and the developing flower in tomato 146
Brennicke A → Giese A
Brito B → Rey L
Bron S → Müller J
Bruchez JJP, Eberle J, Kohler W, Kruft V, Radford A, Russo VEA: *bli-4*, a gene that is rapidly induced by blue light, encodes a novel mitochondrial, short-chain alcohol dehydrogenase-like protein in *Neurospora crassa* 223
Bull HJ, Hayes S: The *grpD55* locus of *Escherichia coli* appears to be an allele of *dnaB* 755
Burgess SR → Sabelli PA
Burr B → Szabó VM
Busby S → Grove J
Byrne M, Taylor WC: Analysis of *Mutator*-induced mutations in the *lojap* gene of maize 216

Cabib E → Ford RA
Caboche M → Dubreucq B
Calissano M → Barbato C
Caplin BE → Ohya Y
Carbonero P → Molina A
Carlson SJ, Chourey PS: Evidence for plasma membrane-associated forms of sucrose synthase in maize 303
Casso D, Beach D: A mutation in a thioredoxin reductase homolog suppresses p53-induced growth inhibition in the fission yeast *Schizosaccharomyces pombe* 518
Charlier D → Savchenko A
Chauvat F → Mühlenhoff U
Chen X → Panaud O
Chen X-J → Clark-Walker GD
Chenevert J → Leberer E
Choi M-U → Kim D-U
Chourey PS → Carlson SJ
Chung K-S → Kim D-U
Chupeau M-C → Grappin P
Clark AJ → Donofrio G
Clark-Walker GD, Chen X-J: A vital function for mitochondrial DNA in the petite-negative yeast *Kluyveromyces lactis* 746
Cole J → Grove J
Cooley MB, Goldsbrough AP, Still DW, Yoder JI: Site-selected insertional mutagenesis of tomato with maize *Ac* and *Ds* elements 184
Crauwels M → Winderickx J

Deppisch H → Beier D
Devonshire AL → Williamson MS
Diaz I → Molina A
Dijl JM van → Müller J
Dion M → Savchenko A
Domingo E → Novella IS
Donofrio G, Bignetti E, Clark AJ, Whitelaw CBA: Comparable processing of β-lactoglobulin pre-mRNA in cell culture and transgenic mouse models 465
Drager RG → Rott R
Duarte M → Silva MV da
Dubreucq B, Grappin P, Caboche M: A new method for the identification and isolation of genes essential for *Arabidopsis thaliana* seed germination 42
Dufour M-E → Amrani N
Dufour M-E → Rouillard J-M
Dujardin G → Rouillard J-M
Dunlap DY → Miyazaki M

Eberle J → Bruchez JJP
Ehrlich SD → Vilette D
Elena SF → Novella IS
Elias-Arnanz M, Firmenich AA, Berg P: *Saccharomyces cerevisiae* mutants defective in plasmid-chromosome recombination 530
Entian K-D → Juhnke H
Esser K, Pratje E, Michaelis G: *SOM1*, a small new gene required for mitochondrial inner membrane peptidase function in *Saccharomyces cerevisiae* 437

Fantes PA → Harris P
Fartmann B → Kramer W
Feldman M → Yang T
Fernández D → Rey L
Fernández-Larrea J, Stahl U: Isolation and characterization of a laccase gene from *Podospora anserina* 539
Firmenich AA → Elias-Arnanz M
Ford RA, Shaw JA, Cabib E: Yeast chitin synthases 1 and 2 consist of a non-homologous and dispensable N-terminal region and of a homologous moiety essential for function 420
Fromm H → Yang T
Frühling M → Küster H
Funke RP → Zhu T

Gaillardin C → Otero RC
Ganal MW → Ling H-Q
García-Olmedo F → Molina A
Garcidueñas-Piña C → Martínez-García M
Gasser CS → Vucich VA
Gentschev I, Maier G, Kranig A, Goebel W: Mini-Tn*hlyAs*: a new tool for the construction of secreted fusion proteins 266
Georgiev P → Melnikova L
Giese A, Thalheim C, Brennicke A, Binder S: Correlation of nonanucleotide motifs with transcript initiation of 18S rRNA genes in mitochondria of pea, potato and *Arabidopsis* 429
Gill BS → Jiang J
Glansdorff N → Savchenko A
Goebel W → Gentschev I
Goldsbrough AP → Cooley MB
Goulding SE, Olmstead RG, Morden CW, Wolfe KH: Ebb and flow of the chloroplast inverted repeat 195
Grandbastien M-A → Grappin P

Grappin P, Audeon C, Chupeau M-C, Grandbastien M-A: Molecular and functional characterization of Slide, an *Ac*-like autonomous transposable element from tobacco 386
Grappin P → Dubreucq B
Graveley BR → Schnapp G
Gresshoff PM → Zhu T
Grienenberger J-M → Handa H
Gross R → Beier D
Grossman AR → Apt KE
Grove J, Busby S, Cole J: The role of the genes *nrf EFG* and *ccmFH* in cytochrome *c* biosynthesis in *Escherichia coli* 332
Grummt I → Schnapp G
Guo L → Mizushima T
Guzmán P → Martínez-García M

Hahn D, Bennoun P, Kück U: Altered expression of nuclear genes encoding chloroplast polypeptides in non-photosynthetic mutants of *Chlamydomonas reinhardtii*: evidence for post-transcriptional regulation 362
Hall JG → Peleg Y
Hallet J-N → Savchenko A
Handa H, Bonnard G, Grienenberger J-M: The rapeseed mitochondrial gene encoding a homologue of the bacterial protein Ccl1 is divided into two independently transcribed reading frames 292
Hansen LK → Ott RW
Harcus D → Leberer E
Harkness TAA → Silva MV da
Harris P, Kersey PJ, McInerny CJ, Fantes PA: Cell cycle, DNA damage and heat shock regulate *suc22*$^+$ expression in fission yeast 284
Hayes S → Bull HJ
He C, Nourse JP, Kelemu S, Irwin JAG, Manners JM: *Cg*T1: a non-LTR retrotransposon with restricted distribution in the fungal phytopathogen *Colletotrichum gloeosporioides* 320
Heller K, Kilian A, Piatyszek MA, Kleinhofs A: Telomerase activity in plant extracts 342
Herbert CJ → Li G-Y
Hernando Y → Rey L
Herrmann RG → Kusnetsov V
Herskowitz I → Leberer E
Hess EJ → Ruan H
Hick CA → Williamson MS
Hickson ID → Jensen S
Hino A → Winderickx J
Hirai A → Nakazono M
Hirt H, Wirth R, Muscholl A: Comparative analysis of 18 sex pheromone plasmids from *Enterococcus faecalis*: detection of a new insertion element on pPD1 and implications for the evolution of this plasmid family 640
Hohmann S → Winderickx J
Holland JJ → Novella IS
Holtham C → Savchenko A
Hong K-W → Kitabatake M
Hopp HE → Rossi M
Hulbert SH → Jiang J

Ibba M → Kitabatake M
Igual JC, Navarro B: Respiration and low cAMP-dependent protein kinase activity are required for high-level expression of the peroxisomal thiolase gene in *Saccharomyces cerevisiae* 446
Imperial J → Rey L
Inokuchi H → Kitabatake M
Irwin JAG → He C
Iusem N → Rossi M

Jenkins JR → Jensen S
Jensen S, Redwood CS, Jenkins JR, Andersen AH, Hickson ID: Human DNA topoisomerases IIα and IIβ can functionally substitute for yeast *TOP2* in chromosome segregation and recombination 79
Jiang J, Hulbert SH, Gill BS, Ward DC: Interphase fluorescence in situ hybridization mapping: a physical mapping strategy for plant species with large complex genomes 497
Judelson HS: Chromosomal heteromorphism linked to the mating type locus of the oomycete *Phytophthora infestans* 155
Juhnke H, Krems B, Kötter P, Entian K-D: Mutants that show increased sensitivity to hydrogen peroxide reveal an important role for the pentose phosphate pathway in protection of yeast against oxidative stress 456

Kahmann R → Spellig T
Kalinowski J → Bathe B
Kang S → Peleg Y
Kataoka K → Mizushima T
Katayama H → Mizushima T
Keim P → Zhu T
Kelemu S → He C
Kersey PJ → Harris P
Kilian A → Heller K
Kim D-U, Park S-K, Chung K-S, Choi M-U, Yoo H-S: The G protein β subunit Gpb1 of *Schizosaccharomyces pombe* is a negative regulator of sexual development 20
Kinsey JA → Sewell E
Kitabatake M, Ibba M, Hong K-W, Söll D, Inokuchi H: Genetic analysis of functional connectivity between substrate recognition domains of *Escherichia coli* glutaminyl-tRNA synthetase 717
Kleinhofs A → Heller K
Kohler W → Bruchez JJP
Komatsu A, Takanokura Y, Omura M, Akihama T: Cloning and molecular analysis of cDNAs encoding three sucrose phosphate synthase isoforms from a citrus fruit (*Citrus unshiu* Marc.) 346
Kötter P → Juhnke H
Krajewski WA: Enhancement of transcription by short alternating C · G tracts incorporated within a Rous sarcoma virus-based chimeric promotor: in vivo studies 249
Kramer W, Fartmann B, Ringbeck EC: Transcription of *mutS* and *mutL*-homologous genes in *Saccharomyces cerevisiae* during the cell cycle 275
Kranig A → Gentschev I
Krems B → Juhnke H
Kroth-Pancic PG → Apt KE
Kruft V → Bruchez JJP
Krügel H → Schumann G
Kück U → Hahn D
Kulikov A → Melnikova L
Kumar R, Maréchal-Drouard L, Akama K, Small I: Striking differences in mitochondrial tRNA import between different plant species 404
Kush AK → Sabelli PA
Kusnetsov V, Bolle C, Lübberstedt T, Sopory S, Herrmann RG, Oelmüller R: Evidence that the plastid signal and light operate via the same *cis*-acting elements in the promoters of nuclear genes for plastid proteins 631
Küster H, Frühling M, Pühler A, Perlick AM: The modular nodulins Nvf-28/32 of broad bean (*Vicia faba* L.): alternative exon combinations account for different modular structures 648

Lacroute F → Amrani N
Lacroute F → Rouillard J-M
Lauter F-R: Root-specific expression of the *LeRse-1* gene in tomato is induced by exposure of the shoot to light 751
Leberer E, Chenevert J, Leeuw T, Harcus D, Herskowitz I, Thomas DY: Genetic interactions indicate a role for Mdg1p and the SH3 domain protein Bem1p in linking the G-protein mediated yeast pheromone signalling pathway to regulators of cell polarity 608
Lee JH, Schöffl F: An *Hsp70* antisense gene affects the expression of HSP70/HSC70, the regulation of HSF, and the acquisition of thermotolerance in transgenic *Arabidopsis thaliana* 11
Leeuw T → Leberer E
Li G-Y, Bécam A-M, Slonimski PP, Herbert CJ: In vitro mutagenesis of the mitochondrial leucyl tRNA synthetase of *Saccharomyces cerevisiae* shows that the suppressor activity of the mutant proteins is related to the splicing function of the wild-type protein 667
Lijavetzky D → Rossi M
Ling H-Q, Pich A, Scholz G, Ganal MW: Genetic analysis of two tomato mutants affected in the regulation of iron metabolism 87
Lobo-da-Cunha A → Silva MV da
Lohmer S → Muth JR
Lübberstedt T → Kusnetsov V
Lunnen KD → Ruan H

Macino G → Barbato C
Maier G → Gentschev I
Mandart E → Rouillard J-M
Manners JM → He C
Mantis NJ, Sansonetti PJ: The *nadB* gene of *Salmonella typhimurium* complements the nicotinic acid auxotrophy of *Shigella flexneri* 626
Maréchal-Drouard L → Kumar R
Marshall MS → Ohya Y
Martínez-García M, Garcidueñas-Piña C, Guzmán P: Gene isolation in *Arabidopsis thaliana* by conditional overexpression of cDNAs toxic to *Saccharomyces cerevisiae*: identification of a novel early response zinc-finger gene 587
Martinez-Torres D → Williamson MS
Matsumura F → Miyazaki M
Matuschek M, Sahm K, Zibat A, Bahl H: Characterization of genes from *Thermoanaerobacterium thermosulfurigenes*

EM1 that encode two glycosyl hydrolases with conserved S-layer-like domains 493
McCouch SR → Panaud O
McInerny CJ → Harris P
Melnikova L, Kulikov A, Georgiev P: Interactions between *cut* wing mutations and mutations in *zeste*, and the *enhancer of yellow* and *Polycomb* group genes of *Drosophila melanogaster* 230
Metzenberg RL → Peleg Y
Michaelis G → Esser K
Michel B → Vilette D
Miki T → Mizushima T
Miyazaki M, Ohyama K, Dunlap DY, Matsumura F: Cloning and sequencing of the *para*-type sodium channel gene from susceptible and *kdr*-resistant German cockroaches (*Blattella germanica*) and house fly (*Musca domestica*) 61
Mizushima T, Shinpuku T, Katayama H, Kataoka K, Guo L, Miki T, Sekimizu K: Phenotypes of *dnaA* mutants of *Escherichia coli* sensitive to phenothiazine derivatives 212
Molina A, Diaz I, Vasil IK, Carbonero P, García-Olmedo F: Two cold-inducible genes encoding lipid transfer protein LTP4 from barley show differential responses to bacterial pathogens 162
Moran LS → Ruan H
Morden CW → Goulding SE
Mota N → Silva MV da
Moya A → Novella IS
Mühlenhoff U, Chauvat F: Gene transfer and manipulation in the thermophilic cyanobacterium *Synechococcus elongatus* 93
Müller J, Dijl JM van, Venema G, Bron S: Cloning of heterologous genes specifying detrimental proteins on pUC-derived plasmids in *Escherichia coli* 207
Müller M → Muth JR
Muscholl A → Hirt H
Muth JR, Müller M, Lohmer S, Salamini F, Thompson RD: The role of multiple binding sites in the activation of zein gene expression by *Opaque-2* 723

Nakazono M, Nishiwaki S, Tsutsumi N, Hirai A: A chloroplast-derived sequence is utilized as a source of promoter sequences for the gene for subunit 9 of NADH dehydrogenase (*nad9*) in rice mitochondria 371
Nargang FE → Silva MV da
Navarro B → Igual JC
Nishiwaki S → Nakazono M
Nourse JP → He C
Novella IS, Elena SF, Moya A, Domingo E, Holland JJ: Repeated transfer of small RNA virus populations leading to balanced fitness with infrequent stochastic drift 733
Novotny CP → Wu J
Nuber U → Osiewacz HD
Nürnberger H → Schumann G

Oelmüller R → Kusnetsov V
Ohya Y, Caplin BE, Qadota H, Tibbetts MF, Anraku Y, Pringle JR, Marshall MS: Mutational analysis of the β-subunit of yeast geranylgeranyl transferase I 1
Ohyama K → Miyazaki M
Olmstead RG → Goulding SE
Omura M → Komatsu A
Osiewacz HD, Nuber U: GRISEA, a putative copper-activated transcription factor from *Podospora anserina* involved in differentiation and senescence 115
Otero RC, Gaillardin C: Dominant mutations affecting expression of pH-regulated genes in *Yarrowia lipolytica* 311
Ott RW, Hansen LK: Repeated sequences from the *Arabidopsis thaliana* genome function as enhancers in transgenic tobacco 563
Ouchane S, Picaud M, Reiss-Husson F, Vernotte C, Astier C: Development of gene transfer methods for *Rubrivivax gelatinosus* S1: construction, characterization and complementation of a *puf* operon deletion strain 379

Palacios J-M → Rey L
Panaud O, Chen X, McCouch SR: Development of microsatellite markers and characterization of simple sequence length polymorphism (SSLP) in rice (*Oryza sativa* L.) 597
Pankiewicz A → Węgrzyn G
Park S-K → Kim D-U
Payton MA → Shafaatian R
Peleg Y, Aramayo R, Kang S, Hall JG, Metzenberg RL: NUC-2, a component of the phosphate-regulated signal transduction pathway in *Neurospora crassa*, in an ankyrin repeat protein 709
Pelletier JJ → Ruan H
Perlick AM → Küster H
Piatyszek MA → Heller K
Picaud M → Ouchane S
Pich A → Ling H-Q
Pickford A → Barbato C
Pratje E → Esser K
Pringle JR → Ohya Y
Pühler A → Bathe B
Pühler A → Küster H

Qadota H → Ohya Y

Radford A → Bruchez JJP
Redwood CS → Jensen S
Reid JD → Shafaatian R
Reiss-Husson F → Ouchane S
Rey L, Fernández D, Brito B, Hernando Y, Palacios J-M, Imperial J, Ruiz Argüeso T: The hydrogenase gene cluster of *Rhizobium leguminosarum* bv. *viciae* contains an additional gene (*hypX*), which encodes a protein with sequence similarity of the N_{10}-formyltetrahydrofolate-dependent enzyme family and is required for nickel-dependent hydrogenase processing and activity 237
Ringbeck EC → Kramer W
Robertson HM: Members of the pogo superfamily of DNA-mediated transposons in the human genome 761
Romano N → Barbato C
Rossi M, Lijavetzky D, Bernacchi D, Hopp HE, Iusem N: *Asr* genes belong to a gene family comprising at least three closely linked loci on chromosome 4 in tomato 489
Roßbach C → Brandstädter J
Rott R, Drager RG, Stern DB, Schuster G: The 3′ untranslated regions of chloroplast genes in *Chlamydomonas reinhardtii* do not serve as efficient transcriptional terminators 676
Rouillard J-M, Dufour M-E, Theunissen B, Mandart E, Dujardin G, Lacroute F: *SLS1*, a new *Saccharomyces cerevisiae* gene involved in mitochondrial metabolism, isolated as a syntheticlethal in association with an *SSM4* deletion 700
Ruan H, Lunnen KD, Scott ME, Moran LS, Slatko BE, Pelletier JJ, Hess EJ, Benner JII, Wilson GG, Xu S-y: Cloning and sequence comparison of *Aval* and *Bso*BI restriction-modification systems 695
Ruiz Argüeso T → Rey L
Russo VEA → Bruchez JJP

Sabelli PA, Burgess SR, Kush AK, Young MR, Shewry PR: cDNA cloning and characterisation of a maize homologue of the MCM proteins required for the initiation of DNA replication 125
Sahm K → Matuschek M
Sakanyan V → Savchenko A
Salamini F → Muth JR
Sandmann G → Barbato C
Sandmann G → Schumann G
Sansonetti PJ → Mantis NJ
Savchenko A, Charlier D, Dion M, Weigel P, Hallet J-N, Holtham C, Baumberg S, Glansdorff N, Sakanyan V: The arginine operon of *Bacillus stearothermophilus*: characterization of the control region and its interaction with the heterologous *B. subtilis* arginine repressor 69
Schnapp G, Graveley BR, Grummt I: TFIIS binds to mouse RNA polymerase I and stimulates transcript elongation and hydrolytic cleavage of nascent rRNA 412
Schöffl F → Lee JH
Scholz G → Ling H-Q
Schumann G, Nürnberger H, Sandmann G, Krügel H: Activation and analysis of cryptic *crt* genes for carotenoid biosynthesis from *Streptomyces griseus* 658
Schuster G → Rott R
Scott ME → Ruan H
Segal G → Yang T
Sekimizu K → Mizushima T
Sewell E, Kinsey JA: Tad, a *Neurospora* LINE-like retrotransposon exhibits a complex pattern of transcription 137
Shadel GS → Sitnikov DM
Shafaatian R, Payton MA, Reid JD: *PWP2*, a member of the WD-repeat family of proteins, is an essential *Saccharomyces cerevisiae* gene involved in cell separation 101
Shaw JA → Ford RA
Shewry PR → Sabelli PA
Shi L → Zhu T
Shinpuku T → Mizushima T
Silva MV da, Alves PC, Duarte M, Mota N, Lobo-da-Cunha A, Harkness TAA, Nargang FE, Videira A: Disruption of the nuclear gene encoding the 20.8-kDa subunit of NADH:ubiquinone reductase of *Neurospora* mitochondria 177

Sitnikov DM, Shadel GS, Baldwin TO: Autoinducer-independent mutants of the LuxR transcriptional activator exhibit differential effects on the two *lux* promoters of *Vibrio fischeri* 622
Slatko BE → Ruan H
Slonimski PP → Li G-Y
Small I → Kumar R
Söll D → Kitabatake M
Sopory S → Kusnetsov V
Spellig T, Bottin A, Kahmann R: Green fluorescent protein (GFP) as a new vital marker in the phytopathogenic fungus *Ustilago maydis* 503
Stahl U → Fernández-Larrea J
Stern DB → Rott R
Still DW → Cooley MB
Szabó VM, Burr B: Simple inheritance of key traits distinguishing maize and teosinte 33

Takanokura Y → Komatsu A
Taylor K → Węgrzyn G
Taylor WC → Byrne M
Thalheim C → Giese A
Theres K → Brandstädter J
Theunissen B → Rouillard J-M
Thevelein JM → Winderickx J
Thomas DY → Leberer E
Thompson RD → Muth JR
Tibbetts MF → Ohya Y
Tsutsumi N → Nakazono M

Ullrich RC → Wu J

Van Dijck P → Winderickx J
Vasil IK → Molina A
Venema G → Müller J
Vernotte C → Ouchane S
Videira A → Silva MV da
Vilette D, Ehrlich SD, Michel B: Transcription-induced deletions in plasmid vectors: M13 DNA replication as a source of instability 398
Vucich VA, Gasser CS: Novel structure of a high molecular weight FK506 binding protein from *Arabidopsis thaliana* 510

Ward DC → Jiang J
Węgrzyn A → Węgrzyn G
Węgrzyn G, Węgrzyn A, Pankiewicz A, Taylor K: Allele specificity of the *Escherichia coli dnaA* gene function in the replication of plasmids derived from phage λ 580
Weigel P → Savchenko A
Whitelaw CBA → Donofrio G
Williamson MS, Martinez-Torres D, Hick CA, Devonshire AL: Identification of mutations in the housefly *para*-type sodium channel gene associated with knockdown resistance (*kdr*) to pyrethroid insecticides 51
Wilson GG → Ruan H
Winde JH de → Winderickx J
Winderickx J, Winde JH de, Crauwels M, Hino A, Hohmann S, Van Dijck P, Thevelein JM: Regulation of genes encoding subunits of the trehalose synthase complex in *Saccharomyces cerevisiae*: novel variations of STRE-mediated transcription control? 470
Wirth R → Hirt H
Wolfe KH → Goulding SE
Wu J, Ullrich RC, Novotny CP: Regions in the *Z5* mating gene of *Schizophyllum commune* involved in Y-Z binding and recognition 739

Xu S-y → Ruan H

Yang T, Segal G, Abbo S, Feldman M, Fromm H: Characterization of the calmodulin gene family in wheat: structure, chromosomal location, and evolutionary aspects 684
Yoder JI → Cooley MB
Yoo H-S → Kim D-U
Young MR → Sabelli PA

Zhu T, Shi L, Funke RP, Gresshoff PM, Keim P: Characterization and application of soybean YACs to molecular cytogenetics 483
Zibat A → Matuschek M

Indexed in *Current Contents*, *Index Medicus* and *EMBASE*